

SINONOMA DE HERBIS

- p. 245 **Alleluya**, panis cuculi; payn de cukulle; wodesowre, stubwort.
Amantilla, potentilla, maturella, valeriana; valerian.
Allipiados, laureola, herba catholica; laureole.
Allium, scordion, tiriā[cl]a rusticorum; ail; *id est* garleek.
- 5 **Arthemesia**, matricaria, *mater herbarum*; hermoise; mugwort.
Althea, bismalua, euiscus, malua-viscus; wismalwe; merchmalwe, holihocke.
Arnoglossa, plantago maior; plantayne; weybrede.
Alphita, *nomen* ordei; fereine de orge; bere mele.
- 10 **Auancia**, gariophilata, pes leporis, sanamunda; harefoot, auence.
Adianthos, pollitricum, pes nisi; sparhaukfot.
Attriplex, crisolocanna; *id est* arrage.
Archangelica; þe blynde nettyl.
Agrimonia; egrimonie; garschelme.
- 15 **Apium** þer beþ v spices of hem: apium domesticum, apium ranarum,
 apium ranis, apium emeroydarum.
Ache; merch, smalache.
Abrotanum; au[e]royne; southerenewode.
Anetum, absinthium dulce; di-le; ane[t].
- 20 **Aloes** þer beþ iij: aloes epatyk, aloe cicatrinum (þese ben put in
 medicines), aloes caballinum ys put in plasters. Aloes lignium
 comeþ out of Paradys and þat oþer comeþ out of Inde.
Anagallus, anagalicum, consolida maior; and þe rote of hym ys
 clepid simphitum, comfyrie.
- 25 **Aquilina**, columbaria; columbyn.
Auricula lepor[is]; hals-wort, orpyn.
Aaron, barba Aaron, pes vituli; [pe de] polayn; ȝekesters.
Aquilaria, celidonya; celidonye; te[t]erwort.
Absynthium; aloyne; wormood.
- 30 **Anthemis**, camamilla; camamille.
Anisium, siminum dulce; anyes.
p. 246 **Antimonium** it is a veyne of þe erþe lich antymonye; | *id est* leederþe.

23 rote: symphitu[m] comfery added in the outer margin by a later hand.

4 **tiriaca**] tiriata MS. 18 **aueroyne**] auoroyne MS. 19 **anet**] aner MS.
26 **leporis**] lepora MS. 27 **pe de**] pede MS. 28 **teterwort**] tederwort MS.

- And[r]ago**, portulaca; parcelane.
Achorus it is þe rote of gladyole.
 35 **Anachardus** it is þe lous of an olyfant and sum-tyme fruyt of a tre.
Alica, [spelta; spelt].
Aspaltum, butimen iudaicum.
Albeston, calx viua; viuez schauz; quiklym.
Anochorus, saniculus; sanicle; wodemerch.
 40 **Ambrosia**; hindehale, wilde sawge; eupatorium; ambrosie; saluia agrestis.
Amidum; amydoyn, þe ious þer-of is swete.
Ambra, sperma ceti; *id est* ambre.
Azarus, azarabaccara, gariophilata agrestis.
 45 **Ayson**, barba Iouis, semper-viua; rubarbe, herwort, seluegrene.
Astula regia, herba mus[c]ata; woderoue.
Acetosa; surel; surdok.
Agradiana; *id est* hofe.
[Andraphasis]; *id est* melde.
 50 **Anochana**, brionida, cicida; [wilde nep], [wilde vine].
Aspaltyos, quinque-folium, pe[n]tafilon; synk-foyl.
Aristologia; smerwort.
Acetosum, acetum; vynegre or eysel.
Arilli beþ þe kernelys of re[y]sons.
 55 **Aattramentum** it is a veyne of þe erthe, of whiche þer beþ tweyn:
 on ys blak, an-oþer is grene, coprose, þe whiche is clepid vitriole.
Acacia is þe ius of little smale slon, þe which ben noȝt fulleche
 type.
Alypi[ia]dos; laureole, and þe sed ys clepid coconidium.
 60 **[Affodillus]**, centum capita.
Allogalica, genciana.
Antera; þe sed of roses.
Ariogoda; sumak.
Antale, *id est* aunctum dulce.
 65 **Arnoglossa**, centineruia, li[n]gua arietis, plantago maior.
Antepholi; þe grete clowe j-fundyn among opere clowes.
Alexander; þe sed of hockont.

33 **andrago**] andago MS. 36 **spelta spelt**] spleta splet MS. 46 **muscata**] mustata MS. 49 **andraphasis**] archaprasis MS. 50 **wilde nep**] wildenep MS. | **wilde vine**] wildevine MS. 51 **petafilon**] petafilon MS. 54 **reysons**] resonis MS. 59 **alypiados**] alypraidos MS. 60 **affodillus**] affrodillus MS. 65 **lingua**] ligua MS.

- Absinthium amarum** vel domesticum; wormod; al[o]yne.
Absinthium ponticum, centonica; wormod.
- 70 **Acantum**, oruum, ygida.
- p. 247 **Algalido**, semen vrtice; þe sed of nettelys.
Acedula, herba acetosa, rume[x], oxilappacium; sorel; sourdokke.
Acinum; *id est* hyndeberye.
Actis, sambucus; helrene-tre.
- 75 **Acus mus[c]ata maior**, herbe roberd.
Acus mus[c]ata minor, *id est* crowpile.
Agrimilla[t]um, gith, mellancium, ni-gella.
Acuialici, semen saxifrage.
Acride, pastinaca, ba[u]cia; pastir-nep.
- 80 **Adianthos**, alacon, capillus Veneris; mayden-her.
Algon, pollitricum; sparrowhawkfot.
Allium, tiriaca rusticorum; garlek.
A[n]dragnis, portulaca, albagla, pes pulli.
Alabim, cepa marina, cepa maior, cepa ca[n]ina; squylles.
- 85 **Alapsa**, galla, pomum quercinum.
Alga; sewor [wort]; coriaundre.
Alexandrum, olexatrum, petro[c]illum macedoni[c]um.
Alphita, farina ordei; flour of barlich.
Alphur; flour of ache.
- 90 **Allephalesophei**, lingua ausi.
Albipa; þe appell of mandrake.
Alcami[r]a, fermentum.
Alumen, stiptera, zuccarium; *id est* alum de plume.
Alumen glaciei; alum de glas.
- 95 **Amar[u]sca fetida** vel [fetida cotula], mas[matr]um, peucedanum,
 f[e]niculus porcinus; amerok, hondz-feue, mayn.
Amar[a]cus, amaricori, cimbrium, sansucus, olimbrium, maiorana;
 mugwort.
Amphoricon, ypericon, herba Johannis, herba perforata, scopo regia,
 fuga demonum; Johany-wort.
- 100 **Amy**, fructus iuniperij.

68 **aloyne**] alayne MS. 72 **rumex**] rumei MS. 75 **muscata**] mustata MS.
76 **muscata**] mustata MS. 77 **agrimillatum**] agrimillacum MS. 79 **baucia**]
 bancia MS. 83 **andragnis**] adriagnis MS. 84 **canina**] camina MS. 86 **wort**]
 lbor MS. 87 **petrocillum**] petrotillum MS. | **macedonicum**] macedonium
 MS. 92 **alcamira**] alcamaia MS. 95 **amarusca**] amarisca MS. | **fetida**
 cotula] fecula cotida MS. | **masmatrum**] masinatum MS. 96 **feniculus**]
 foniculus MS. 97 **amaracus**] amaricus MS.

Antipharma[c]um, *vicetoxicum*; *turmentille*; and is good a-ȝens venym.

Anthos; þe flour of rose-maryn and ey wiþ-outyn schelle.

105 **Aqua rosarum**; enrose.

Bvglossa, *lingua siluana*, *lingua bovis*; [lange de bef].

Brascica, *caulus*; *clous*, *choler*; cool-wortes.

Bra[n]ca vrcina; *bra[n]ch vrsine*.

p. 248 **Bra[t]heos**; | sauina; saueyne.

110 **Bronia**, *sicides*; *wildenep*; *cucurbita agrestis*; *brionye*.

Bard[a]na, *glis*, *lappa*; *clotere*.

Bedegar, *vulnis*; *eglenter*; *ȝelwbere*.

B[i]rula; *birle*.

Bvr[i]th, *s[a]ponaria*; *crowsope*; *card[u]s fullonus*; *sauo[un]ere*.

115 **Balsamita**; *bawme*.

Bruncus, *cuscuta*, [podagra lyny]; *doder*.

Bvtalmon, *oculis bovis*; *oyle de be[u]f*; *herba paralisis*; *kousloppre*.

Belliculi marini beth smale stones and white whiche beth fondyn
be þe brynde of þe see.

120 **Borage**; *borage*.

Betonica; *betoynē*.

Benedicta herba; *herbe benyt*; *homelok*.

Bugla; *bugle*; *wodeborne*.

Bruscus, *fragonum*; [kn]ovholm, *brusk*.

125 **Basilica**, *dragancia*; *cerpentina*, *dragaunce*.

Bolus armoniacus; *bole armonyak*.

Ben rubium it is a rote þe whiche is y-foundyn on Hynde and þe
white on Egypte.

Baucia, *pastinaca*; *pastinake*, *pastre-nep*.

130 **Baccara**, *azara-baccara*; *spewyng-wort*.

Balsam[i]ta, *menta aquatica*, *ortensis*, *sizimbrium*.

Barbastus, *tapsus barbastus*, *folsinus*, *ponfilyon*.

Bacce lauri, *fructus lauri*, *dampnococti et dampnocosti*.

Baccarum edere, *fructus edere*, *carpo[c]issi*.

135 **Barba ir[c]ina**, *ypoquistidos*.

102 **antipharmacum**] antipharmatum MS. 106 **lange de bef**] lan gedebef MS.

108 **branca**] *brauca* MS. | **branch**] *brauch* MS. 109 **bratheos**] *bracheos* MS.

111 **bardana**] *bardona* MS. 113 **birula**] *bvrula* MS. 114 **bvrith**] *bvrth* MS.

saponaria] *soponaria* MS. | **carduus**] *cardinis* MS. | **sauounere**] *sauonuere* MS.

116 **podagra lyny**] *padagralyni* MS. 117 **beuf**] *beif* MS. 124 **knovholm**]

buovholm MS. 131 **balsamita**] *balsamunta* MS. 134 **carpocissi**] *carpotissi* MS.

135 **ircina**] *irtina* MS.

- Bu-timen iudaicum**, aspaltum.
Borax; þe gumme of a tre.
Bruscus; bonwort.
 140 **Br[un]cus**, rasca lyny, *podagra* lyny, cusc[u]ta.
Bursa pastoris, sanguinaria; stanche.
Consolida media; wryngyngwort; [meddel consoud].
Consolida minor; brusewort.
Cyclamen id est cassarium, panis porcinus, [nu]x *terre*, malum *terre*;
 noys de tere; erthe-note.
 145 **Camedreos**, germandria; germandrie.
Colophonia, pix greca; colophonye.
 p. 249 **Cantabrum**, fur|fur, tritici; bren of whete.
Capitellum, lexiuum; l[e]ssyue; liȝeuſ.
Ceru[s]a, album plumbum; blank plum; whit leed.
 150 **Caprifolium**, mater silue; chiuerfoyl; wodebynde.
Caniculata, ius-quiami, simp[o]niaca, fistula; che[ni]le; henne-
 bane.
Centaurea, fel *terre*; certorie; erthe[-gall].
Celidonia; me[mi]tha; celidone de mere.
 155 **Crassula minor**, vermicularis; stonore.
Crassula maior; orpyn.
Calamentum; calamynete.
Canabum; caun[v]re; henp.
Caballus marinus, ypotamus.
 160 **Centum gra[n]a**, herba cancri.
Capud monarchi, dens leonis; dent de leon; lyonyt toth.
Cruciata þer beþ ii of hem; herbe croyse.
Centinodium, li[n]gua passeris; swynesgres.
Cepe; onyouns.
 165 **Cepa marina**, squilla; squillez.
Cima rubi; cy[uon]s de rounse; brimel-crop.
Capillis Veneris; mayden-her.
Cinamomum; kanel.
Calendula, solsequium, sponsa solis; solcicle; golden rodene.

139 **bruncus**] branucus MS. | **cuscuta**] cuscata MS. 141 **meddel consoud**] meddelconsond MS. 143 **nux**] mix MS. 148 **lessyue**] lossyue MS.
 149 **cerusa**] cerula MS. 151 **simphoniaca**] simphanica MS. | **chenile**] chemle MS. 153 **erthe-gall**] erthe MS. 154 **memitha**] menutha MS. 158 **caunvre**] canure MS. 160 **grana**] graua MS. 163 **lingua**] ligua MS. 166 **cyuons**] cinous MS.

- 170 **Consolida** þerþeþ iii of hem; comferie; wryngenge-wort; dayes-eȝes.
Camamilla; camamylle
[Cymynum] dulce; a[n]is.
Calx viua; quyk-lym; viue chauz.
Cucurbita agrestis; col, stonel.
- 175 **Carduus fullo[n]is**; sauuonere; crowsope.
Cuscuta; *id est* dodere; [podagra lini].
Colubrina; dragaunce; edder-wort.
Corona regia, mellilotum, trifolium; mellilote; þre-leuyd gres.
Catapucia; spourge.
180 **Copiosa**; herbe copie.
Crocus africanus, crocus ortensis; saffron de ort.
Custos ortorum, palma Christi.
Chimolea, terra sigillata.
Calculum, c[a]rdamomum.
- 185 **Calcantum**, attramentum, vitriolum.
Calcecumenon, es vstum, cachitheos.
Ca[me]pitheos; medo-rateł.
Camphorata; aueroyne; sowþerenewode.
- p. 250 **Cameactus**, ebulus; | walwort; eble.
190 **Camelee**, quinque-folium, pentafilon; synkfoyl.
Camal[e]on[t]a is a þistel; *id est* remyng-wortyn.
Cantarydes; buy, vlyen; grene wermes growyng in asschys.
Cancer marinus; a crabbe of þe see.
Cardo az[inin]us, cardo comunis; þystil.
- 195 **Cardo benedicta**, labrum Veneris; þow-þistil.
Catholica; laureola.
[Carica], ficus sicca; dreye figge.
Carei [pontici]; dauck.
Cardam[um]; toun[c]ressez.
- 200 **Catha[ri]atici**, rasura cor[nu] cerui; þe chaungyng of hertishorn.
Caride miristice, *id est* nucis mus[c]ate; note-mugys.
Cassia linea, xilocassia.

172 **cymynum**] ymymim MS. | **anis**] aus MS. 175 **fullonis**] fullouis MS.
176 **podagra lini**] padagrallini MS. 184 **cardamomum**] cordamomum MS.
187 **camepitheos**] canapitheos MS. 191 **camaleonta**] camalconca MS.
194 **azininus**] azunius MS. 197 **carica**] cariaca MS. 198 **pontici**] carei porcini
MS. 199 **cardamum**] cardami MS. | **touncressez**] touneressez MS.
200 **cathariatici**] cathanatici MS. | **cornu**] cormi MS. 201 **muscate**] mustate
MS.

- Cassia fistula** is þe fruit of a tre, but cassia lignea is þe rynde of a fruyt.
- 205 **Castorium** is þe ballok of a beste.
Cauda pulli; a poddok pype.
Cauda equina; foxes-gloue.
Cel[s]us, mora maior; mulberye.
[Spica celtica, cestrum; betoyne.
- 210 **Centaurea maior**; centorie; Cristes-laddere.
Centonica, absynthium ponticum; se-wormod.
Centrum galli, gallitricum, gallici [cr]ista; centre galle.
Centineruia, plantago, arnoglossa, lingua agni; lambis-tunge.
Dactulus; a date.
- 215 **Dactulus acerosus**, oxif[eni]cia, finicon; tamarydes.
Da[u]cus creticus, trencus; dent de leon.
Dragancia, colubrina, serpentaria, cocodrilla, basilicus; nedrewort.
Dragancia argirofora, rapistrum; cherloke.
Dascripta, epatica; liuerwort.
- 220 **[Daphnides]**; þe tre of lorer.
[Daphneleon], oleum laurinum.
Dendro-libani, [libanotidos], anthos, ros marinus; rose-maryn.
Dens equi, iuncus, triangulatus; ciperus.
Demachian, m[iltro-]datum, sanguis draconis.
- 225 **Diptannus**; dytandre.
- p. 251 **Dr[i]opt[e]ri[s]**, pollipodium.
Dionisia, flos citoree; þe flour of ruddene.
Epatica, dascripta; coupere; liuerwort.
Eupatorium, ambrosia, liliagus, salvia agrestis; hyndhale.
- 230 **Edera terestris**; yuy.
El[io]tropia, solsequium, verucaria, cicorea, sponsa solis, mira solis; solcicle, [ruddene].
Elemp[ni]um, e[n]ula campana; horselne.

213 **centineruia**: [ce]ntunneruie added in the outer margin by a later hand.
222 **anthos**: uous added in the inner margin by a later hand.

208 **celsus**] cellus MS. 209 **spica**] spica MS. 212 **centrum**] centum MS.
crista] ista MS. 215 **oxifenicia**] oxifencia MS. 216 **daucus**] dancus MS.
220 **daphnides**] dampnides MS. 221 **daphneleon**] dampnileon MS.
222 **libanotidos**] liban tidos MS. 224 **miltro-datum**] multus datum MS.
226 **driofteris**] droptori MS. 231 **eliotropia**] eleutropia MS. 232 **ruddene**] ruddenen MS. 233 **elempnium**] elempruum MS. | **enula**] emula MS.

- El[a]cterium;** þe ius of cucambre, *id est* wilde papie.
- Esbrium;** þe flour of sawge.
- E[tiop]is,** b[ar]dana, lappa [in]uersa; clotere.
- Ematithes,** lapis giron, lapis sanguinaris.
- Es vstum,** calcecumemon; bras y-brent.
- Endiuia,** tro[x]ima; endyue.
- Elacterides;** þe iouys [catapus], *id est* spurge.
- Euiscus,** altea, malua viscus, bismalua; þe wise malwe.
- Eleborus niger;** clouetunge, blak elebre.
- Eleborus albus,** [scelerata]; whit elebere.
- Epithimum;** flour of tyme.
- Eruca;** skyrwhit.
- Euforbiu[m];** euforbe; it is a gumme of a tre.
- Eriscus;** colophonie; resina, pix greca.
- Faba;** a bene.
- Fabaria;** lemyk; fauerole.
- Farina ordei,** alphita; flour of barlich.
- Frag[a]ria;** frasere; streberiewyse.
- Frammulus;** slepwort.
- Fraxinus** is a tre þe whic ys clepid an assch.
- Fragrum,** bruscus; bonwort.
- Falgeria,** filex, fengus; fern.
- Febrifu[g]a,** fel terre, centaurea, symphonica; feþerfoye.
- Fenigrecum;** femigrek.
- Fex;** a dreste.
- Fel;** galle.
- Feniculus;** fenel, þe sed ys clepid maratrum.
- Feniculus porcinus,** peusedanum, amarisca; houndeffenel.
- Ferula** is an herbe of þe iouys is mad galbanum.
- Fermentum;** sowr dowȝ.
- Filago;** harewort.
- Filipendula,** sisalidos; ston-wort.
- p. 252 Fi[ni]lcon indi,** oxifen[i]cia; tamaryndi; dactulus acetosus.
- Flosmus,** tapsus barbastus, p[o]nfilion, herba linaria; moleyne.

256 centaurea: fel bre *added in the outer margin by a later hand.*

234 **elacterium]** electerium *MS.* 236 **etiopis]** elix-is *MS.* | **bardana]** brandana *MS.* | **inuersa]** euersa *MS.* 239 **troxima]** troyonna *MS.*
 240 **catapus]** cateprus *MS.* 243 **scelerata]** adarasca *MS.* 251 **fragaria]** fragria *MS.* 256 **febrifuga]** febrifuga *MS.* 266 **finicon]** frincon *MS.* | **oxifenicia]** oxifencia *MS.* 267 **ponfilion]** penfilion *MS.*

- Flos ciriacus;** flour of malwes.
Flos roris marini, anthos; flour of rose-maryn.
270 **Flos fraxini,** alphur; flour of þe assch.
Flos mali granati, balaustia; flour of pomegarnet.
Flos plumbi; ceruse, blank plum; flos eris; verdegrès.
Fumus terre; houndhore; fumitorie.
Fulfulabiat, *piper nigrum*; blak pepir.
275 **Ful[lf]ulesbeth,** album *piper*; whit pepir.
Furfur, cantabrum; bren of whete.
Fructus iuniperi, amy fructus; þe froyt of iuniperi.
Fructus edere, carpo[c]issi, baccarum edere; bayes of yuy.
Frumentum; whete.
280 **Galbanum** is þe ious of an *herbe*.
Galla, pomum quercinum, sicon, [alapsa].
Galanga; galingale.
Gallitricum, centrum galli, gallicristus.
G[a]riophilus; a clowe.
285 **Gariophilata,** sana-munda, pes leporis; auancia; auence.
Gariophilus agrestis, azabac[c]ara.
Gladiolus; gladiole.
Gra[m]en], a[gro]stis; cuchegras.
Grana solis, milium solis; gromyle.
290 **Gagathes;** geeth.
Gla[u]cia, celodonia; celydonye.
Genesta, mirica; geneste; brom.
Genestula is lich a brom wiþ a whit flour.
Geniculata, poligonia.
295 **Genciana,** allogallica.
German[d]ria; germandrie.
Gelena, coloquintida, cucurbita alexandrina.
Gersa; cerusa.
Gith, agrimilla[t]um, melanc[i]um; cockel.

273 **fumus:** [ho]undhore added in the outer margin by a later hand.
299 **cockel:** [pa]lma Christi added in the outer margin by a later hand.

275 **fulfulesbeth]** fussulesbeth MS. 278 **carpocissi]** carpotissi MS.
281 **alapsa]** alapasa MS. 284 **gariophilus]** griophilus MS. 286 **azabaccara]**
azabactara MS. 288 **gramen]** granis MS. | **agrostis]** amesistis MS.
291 **glaucia]** glancia MS. 299 **agrimillatum]** agrimillacum MS.
melancium] melancum MS.

- 300 **Gira solis**, custos orti, mirac[u]la, pentadact[i]lus, palma *Christi*.
Glicida; ponia.
Giron, lapis ematithes.
Glicia, licoricia.
Glis, e[tiop]is, lappa, bardana, illafeas; clote.
305 **[C]risolocanna**, attriplex agrestis; arrage.
Gliconium, pullegium regale, puliole rialus, [ev]ic[t]us, crocus;
p. 253 saffe|ron.
Gi[r]on, lapis magnetis.
Gisastereos, bolus armoniacus, it is a red erthe þe whiche is
310 foundyn in Armonye.
Glumen arabic whan it is wretyn sympleche gumme (of
gumme arabic it schal be understande).
Juncus, [podagra lini], cuscuta idem est.
Hastula regia vel hasta regia; woderoue.
315 **Hastula Sancti Christofori**, pollicaria minor; scha[bb]ewort.
Herba benedicta, ci[c]uta, incubus; homeloc.
Herba paralisis, herba Sancti Petri; cowslop.
Herba Roberti, acus muscata, pes columbe.
Herba perf[o]rata, ypericon, herba Iohannis, scopo regia; Seynt
320 Johanis wort.
Herba Walteri; herbe Walter.
Herba acetosa, acedula, [o]xilapacium, rume[x]; surel; sourdocke.
Herba lunaris, tapsus barbastus, flosmū, ponfilion, molena; moleyn.
Herba cruciata; herbe croyse.
325 **Herba medee**; mede-wort.
Herba fullonum, saponaria; b[o]riȝth, crowesope.
Hermodact[i]l[u]s is an herbe þe whiche þe rote is co[uen]able to
medicines.
Herba Sancti Pauli; spergula.

303 **glacia**: [pi]oniae added in the outer margin by a later hand. 318 **acus**: pes colum[be] added in the outer margin by a later hand.

300 **miracula**] miracula MS. | **pentadactilus**] pentadactulus MS. 304 **etiopis**] elixis MS. 305 **crisolocanna**] grisolocanna MS. 306 **evictus**] wicus MS. 308 **giron**] gichon MS. 313 **podagra lini**] podagrallini MS. 315 **schabbewort**] schawewort MS. 316 **cicutä**] cituta MS. 319 **perforata**] perforata MS. 322 **oxilapacium**] exilapacium MS. | **rumex**] rumei MS. 326 **boriȝth**] beriȝth MS. 327 **hermodactilus**] hermodactules. | **couenable**] couable MS.

- 330 **Hirenia** & huenea, hipposeta, cauda equina, cauda caballina. It is
 a row herbe wiþ þe whiche men pulschyn cambes, bowes and
 cuppes.
- Hippia maior** and **minor**, Hippia maior, morsus gal[ll]ine;
 chekenemete. Hippia minor; selfhele.
- 335 **Jacea nigra**; matefeloun wiþ a red flour.
Iacea alba; matefeloun wiþ a purple flour.
Iarus, pes vituli, barba Aaron; ȝekesters.
Ilapheas, bardana, lappa; clotre.
Insana, ius-quiamus; hennebane.
- 340 **I[nv]iola alba**; whit violet.
Incubus, cicuta, herba benedicta; homelok.
- p. 254 **Incuba**, sponsa solis, sicorea, mira solis, verucaria; | rudune.
Indi dactilis, acetosus, oxifen[i]cia; tamaryndis.
- 345 **Ipericon**, herba perforata, herba Johannis, scopa regia; Seynt Iohan-
 is wort.
- Ipia maior**, morsus galline; chekenewed.
Ipia minor; [wey]-wort, eyȝe-wort.
Ipoquistidos is a superfluyte of growyng on þe erthe þe whic
 beryth rosa canina.
- 350 **Iris** haþ purpil flour.
Ireos haþ a whit flour. An-oþer is clepid gladiole and he haþ a
 ȝelw flour lik saffron, [an-oþer] is cleped spatula fetida and he
 hath no flour.
- Isopus**; jsope.
- 355 **Louis barba**; sel[f]grene.
Iuniperus, iuniper.
Eringi; secacul; [y]ringes.
Ision; centorie.
- Katariacum**, rasura cornu cerui; þe changyng of hertis-hornes.
- 360 **Ka[c]abre**; vernych.
Kalendula, solsequium; Seynte Marie rude.
Kufordaphin, cynamomum; canel.
Labrusca.

334 **hippia**: selfhele added in the outer margin by a later hand.
361 **kalendula**: [Se]ynt Mary gold added in the outer margin by a later hand.

333 **galline**] galine MS. 340 **inviola**] iviuola MS. 343 **oxifenia**] oxifencia
MS. 344 **scopa**] Iscopa MS, I then erased. 347 **wey-wort**] vlex-wort MS.
352 **an-oþer**] Ian oþer MS. 355 **selfgrene**] selgrene MS. 357 **yringes**] bringes
MS.

- 365 **Labrum Veneris**, labium, cardus *benedictus*; þe sed is clepid
Seynte Marie sed.
- Lactuca domestica**; letuse.
- Lapdanum** is a gumme.
- Lappa**, b[a]rdana, glis, e[tiop]is; gletoner, clotre.
- Lappac[i]um rotundum** id est [meche docke]; rumex, parella.
- 370 **Lappacium acutum**; smal docke.
- Lapis lazuli** is a ston of which asure is mad of.
- Lapis armenicus** and lapis calaminaris boþe gon to medicines.
- Lapis pirrites**; flintes.
- Lapis magnetis**; githon.
- 375 **Loodestone**, lanceo-lata, plantago minor, quinquenervia; ribwort;
lanceole.
- Lapis linxis** comeþ of þe vrine of a wolf pissid on an hil and
muntayn y-cruddled; [l]apis agapis.
- Lapis iudaicus**.
- 380 **[L]a[ct]arid[e]s**, cathapucia, anabulla.
- p. 255 **Laureola**, lapidon, alipiados; þe sed þer-of is cocon[i]dium.
- Laurencia**, bugla.
- [L]auendula**; lauendre.
- Laurus** is a lorere tre.
- 385 **Lentiscus** is a tre þe which swetyþ out oyle.
- Lempnias**; orpement; arsenik.
- Le[u]isticum**; louache; louestiche.
- Lenticula aquatica** vel lentigo; e[n]edemete; [lentil d'ewe].
- Lectorica**, nux coruli; filberdis; auellana; walnote; nux *parua*, nux
390 pontica.
- [Lepides] calcis**, batitura eris, squ[a]ma eris; schalis of bras.
- Leporina**, pria[pi]scus, satirion.
- Lepus silvestris**; an hare.
- [Leucopiper]**, piper album.
- 395 **Libanum**, olibanum, thus.
- Libanotidos**; ros-marine.

364 þe: [S]eynt Marie [s]ede added in the outer margin by a later hand.

368 **bardana**] bordana MS. | **etiopis**] elexis MS. 369 **lappacium¹**] lappacum
MS. | **meche docke**] mechedocke MS. 378 **lapis¹**] apis MS. 380 **lactarides**]
attaridos MS. 381 **coconidium**] cocondium MS. 383 **lauendula**] avendula
MS. 387 **leuisticum**] lemisticum MS. 388 **enedemete**] euedemete MS.
lentil d'ewe] lentildewe MS. 391 **lepidos**] lempidos MS. | **squama**] squama
MS. 392 **priapiscus**] prianuscus MS. 394 **leucopiper**] leuco MS.

- Ligustrum;** [wilde lilye].
Lilium; lilye.
Lilifagus, sal[u]ia agrestis, ambrosia, eupatorium; hyndehale.
- 400 **Licosperma;** semen saxifrage.
Linilion, olium lini; linsed.
Li[t]hodemonis is a blak ston whic comeþ out of Ynde, cha[u]yd wiþ frotting it drawiþ to hym straw; *id est* geet.
Licoricia; licoris.
- 405 **Limphea aquatica,** menphia, lilium aquaticum; nenufare, water of lilye.
Li[n]ochites, mercur[i]al[i]s.
Lingua canis; hundestunge.
Lingua ceruina, scolopendria; hertistunge.
- 410 **Lingua bouina,** buglossa; oxetunge.
Lingua ag[ni]na, arnoglossa, plantago, centineruia.
Lingua canis; scikewort.
Lingua hircina, plantago minor, l[a]nceolata.
Li[po]tomia, malfactio, sincopis; [swonynge].
- 415 **Lunarie** purgeþ þe colre þe which berith a whit flour.
Linoyse, spinach þe which beriþ an ynde blew flour.
Longum piper; macro-piper.
Lollum, nigellam, agrimila[t]um, gith, melanc[i]um; *id est* cokkel.
Lupines, faba egypcia, mar[s]ilium; lupines.
- 420 **Maba[t]ematicon;** þe ious of wilde caul dreied. |
p. 256 **Maces,** folium.
Macedonia; elizanndre seed.
Magnetes; l[o]deston.
Maculata, trifolium; þre-leuyd.
- 425 **Maiorana,** amaricus, amaricon, cimbrium, sansucus, persa; mugwort.
Malum macianum, malum macidum, pomum siluestre, wode-crabbe.
Malum punicum, malum granatum; pome garnet.
Mala coctana, mala citonia; coynzes.

412 canis: centumnuerie added in the outer margin by a later hand.

397 **wilde lilye**] wildelilye MS. 399 **saluia**] salnia MS. 402 **lithodemonis**] lichodemonis MS. | **chauyd**] chanyd MS. 407 **linochites**] limochites MS. **mercurialis**] mercurealus MS. 411 **agnina**] aginina MS. 413 **lanceolata**] lanceolata MS. 414 **lipotomia**] limpatomia MS. | **malfactio**] malfiton MS. **swonynge**] swenyngen MS. 418 **agrimilatum**] agrimilacum MS. **melancium**] melancrum MS. 419 **marsilium**] marfilium MS. 420 **mabafematicon**] mabafematicon MS. 423 **loodeston**] leodeston MS.

- Melan[o]piper**, *piper nigrum*.
 430 **Malum terre**, ciclamen, ca[s]samus, panis porcinus; erthe-notes.
Maluaviscus, bismalua, alitheia, euiscus, ebiscus.
Matricaria, arthemesia; mugwort.
Matrisilua, caprifolium, oculus lucij, volubilis maior, caprisicus.
Macro-piper, longum piper.
 435 **Marsilium**, faba lupina, faba egypciaca; lupynes.
Masmatrum, peucedanum, feniculus agrestis; hundesfenel.
Maratrum; fenel-seed.
Marrubium; hor-ho[un]d.
[Manna, ros] celestis; dew of heuene.
 440 **Mandragora**; mandrake.
Malagma is mollificatyf en-plastrē for betyng materie.
M[al]lasticum is a mollificatyf makyngh materie.
Melaticum; dissoluinge.
Melandrea; berewort.
 445 **Mellicratum**; mede meþ.
Mel rosatum; mel roset.
Mellilotum, trifolium, maculata, corona regia, mellago, putella.
Melissa, ci[t]aria, herba pigmentaria, ci[t]rago.
Melones buþ mundificatyf.
 450 **Melanc[i]um**, gith, agrimula[t]um, nigella; cokel.
Menta anana; fischment.
Menta aquatica, mentastrum, sizimbrum; horsment.
Mentula episcopi; medeflour and hit haþ a ȝelw flour and brode
 leuys, and it growiþ in þe water.
 455 **Mentula sacerdotis**; circoure.
Mercurialis, linochites, par[t]eno[t]hidos, libleb.
Meu is an herbe lich hundesfenel, but it is more croked.
Menelaca; goldys, bothun.
Mesibili; nesfles; meeles.
 460 **Miltrodatum**, domachian, sanguis draconis.
 p. 257 **Miconium**, nichocodium, [papa]uer | album; whit papie.
Mill[e]folium, venter apis, supersilium Veneris; ȝarwe.

429 **melanopiper**] melanepiper MS. 430 **cassamus**] calsamus MS.
 431 **althea**] athea MS. 438 **hor-hound**] hor honud MS. 439 **manna ros**]
 mannaros MS. 442 **malasticum**] molasticum MS. 448 **citraria**] cicraria
 MS. | **citrago**] cicrago MS. 450 **melancium**] melancum MS.
agrimulatum] agrimulacum MS. 456 **partenothidos**] parcenochidos MS.
 461 **papauer**] parpuer MS. 462 **millefolium**] millofolium MS.

- Milleum solis**, granum solis, cauda porcina; *id est* gromolye.
Mirtus est frutex and frutes þer-of beþ clepid mirtellis, hurtene.
- 465 **Mirta** est frutex and it groweþ in morys; *id est* gawl.
Mira solis, cicorea; *id est* ruddene.
Mirabolanes beþ frutes and þer beþ fyve diuers maner þer-of:
 kebul, yndorum, emblicorum, citrinorum and belricorum.
Mirra; þe gumme of a tre.
470 **Mirica**; genesta; brom; genest.
Mora; blake beries.
Mora Celsi; molle-beries.
Morella, strignum, solatrum, herba Sancte Marie; morell.
Morsus dyaboli; recoupe.
475 **Morsus galline**, ypiæ; chekenemete.
Molena, tapsus barbastus; moleyn.
Mummia is a spice þe whiche is foundyn in þe graues of dede men
 and it is þe ious of þe body j-runne to-gedere a-noyntyd wyþ
 bawme.
480 **Muscata**, hasta regia; woderoue.
Muscus is þe humitide of a beste.
Mulsum is mad of viij parties of water and þe ix parti of hony
 and j-sodyn to þe consumcyoun of þe þridde partie.
Mus on Englisch is a mous.
485 **Narcha** is a fisch þe which whan he is dræwen wiþ hook and lyne
 and ȝif þe fischiere putte his hand vp on hym it makeþ þe
 hondyn vnfredable and al þe body after, but it be þe raþere
 takyn a-wey and þer-of men makyn medycyn to make men to
 slepyn.
490 **Nastare** is a suppositorie or a passarie.
Nasale is an instrument to castyn in medicynes be þe nose-
 therles.
Nasturcium aquaticum; watercresses.
Nasturcium ortolanum; tuncresse.
495 **Nasturcium porcinum**, sanguinaria, bursa pastoris; schepherdis
 powch. |
p. 258 **Nasturcium agrestis**; wildecresse.
 [Nardostachium]; spicanardi; spikenard.
 Napta, petrōleon; oyle of til stones; oleum benedictum.
500 **Napium**, semen sinapis; mustard seed.
 Nardilium; oyle of spikenard.

498 nardostachium] nardostanchium MS.

- Ne[n]uphar, [nim]phea and þe rote is clepid caballina.
Nimphea, *lilium aquaticum*; *id est* ne[n]uphar, water of lilie.
Nepta; þe lasse calamynete; [cattes ment].
505 **Nigella**, agrimula[t]um, gith, mellanc[i]um; kockel.
Nitrum is a veyne of þe erthe or a kynde of salt.
Nux maior; a walnote.
Nux muscata, nux miristica; notemuges.
Nux vomica; chesteynes.
510 **Nux pontica**, nux parua, auellana, lectorica, nux coruli; notes of haselis.
Nucleus; pynes.
Obtarticum, sternutarium is þyng to make men vnese.
Obtalmicum, lapis calaminaris; calamine.
515 **Oculus Christi** is good for eyzen.
Oculus bouis; *id est* bothun.
Oculus populi þe beries of þe popeler.
Offei, gumme eder; gumme of yuy; opo[c]isci.
Olium lenci.
520 **Olium oliue**; comune oyle.
Olium lini; le[n]elion; oyle of linsed.
Olium lapidum, *olium petroleum*, *olium benedictum*.
Omentum, abd[o]men, sumen, auxungia, pinguedo; fatnesse,
525 gres and whan it is put symplelich be hym-self swynes gres it schal ben vnderstonde.
Olibanum, libanum, thus; frankensens.
Olixatrum, alexandrum, petrosilium; alisaundre.
Opium [thebaycum] is þe ious of whit papie.
530 **Opium jus-quiami**, opium miconis; þe ious of hennebane. Whan opium is put symplely by hym-self of opium thebaycum it schal be vnderstonde.
Op[o]ponak is þe gumme or þe ious of an herbe.
p. 259 **Oepirus** is þe clene bred fro þe bren of | payndemayn.

533 **payndemayn**: payndemayn Opbalsamum is þe ious of bawme Orobos milium mouse pece Ordeum barlich Origanum O *added in the outer margin by a later hand.*

502 **nenuphar**] nemuphar MS. | **nimphea**¹] menphea MS. 503 **nenuphar**] neunphar MS. 504 **cattes ment**] castesment MS. 505 **agrimulatum**] agrimulacum MS. | **mellancium**] mellancum MS. 518 **opocisci**] opotisci MS. 521 **lenelion**] leuelion MS. 523 **abdomen**] abdumen MS. 528 **thebaycum**] theobaycum MS. 532 **opoponak**] opeponak MS.

- Opobalsamum** is þe ious of bawme.
- 535 **Orobus**, milium; [mouse-pece].
Ordeum; barlich.
Origanum; orgon.
Orton, verbena; verueyne.
Os spie; mensschelle.
- 540 **Os de corde cerui**; þe bon of an hert.
Os-munda; [e]uerferne on þe ook, polli-podie.
Oxifen[i]cia, finicio, dactulus acutus; tamaryndes.
Oxi; vinegre.
Oxiren; [strong wyn].
- 545 **Oxilappacium**, acedula, rume[x], *herba acetosa*; surell; sourdokke.
Oxicantum, berberes.
Ozimum, semen basiliconis, ozimum.
Oygia, acantum, vrtica; þe seed of netles.
- 550 **Papauer album**, codion; [blanc susement]; whit popie.
Papauer nigrum; no[re] susement; blak popie.
Palma Christi, cauda porcina.
Pampinus, folium vitis; þe leef of vine.
Pamphiligos, flosmus, tapsus barbastus; moleyn.
- 555 **Panis cuculi**; wodesoure, allelia.
Panis porcinus, cyclamen, malum terre; erþenote.
Plantago; plantayne; weybrede.
Pla-tociminum, sile[r] montanum; surm[o]ntayne.
Passula, passulus, v[u]a passa; reysynges.
- 560 **Pastinaca**, baucia; paster-nep.
Passerina, lingua corrigiola, geniculata, *proserpina*, *polygonum*,
swynes-gres.
Prassum, porrum; lek.
P[r]assium viride; verduges.
prassium; horoune; marrubium album; moriell.
- 565 **P[a]ritoria**; paritorie.
Par[d]iciados, *herba vitriola*, *herba muralis*; *paritarie*; stonhoue.
Pet[a]la, cortex citri.

541 **euerferne**] ouerferne *MS.* 542 **oxifenicia**] oxifencia *MS.* 544 **strong**
wyn] strongwyn *MS.* 545 **rumex**] rumei *MS.* 549 **blanc susement**]
blancsusement *MS.* 550 **noire**] nom *MS.* 557 **siler**] silei *MS.*
surmontayne] surmentayne *MS.* 558 **vua**] vna *MS.* 560 **proserpina**]
prospina *MS.* 563 **prassium**^{1]} passum *MS.* 565 **paritoria**] peritoria *MS.*
566 **pardiciados**] parciados *MS.* 567 **petala**] petula *MS.*

- 568 **Pentafilon**, *quinque-folium*, camolee; v-le[u]ede gras.
Penttadact[u]lus, palma *Christi*; swynes-tayles.
- 570 **Petrosillium [macedonicum]**; Alisandre-sed.
Petroleum, *oleum de petra*, *oleum benedictum*.
Pes leporis, auancia, sanamunda, garofilata; auence.
P[e]ric[li]menon, *matrisilua*, *caprifolium*, *capriscus*, *oculus lucij*, |
 p. 260 *volubilis* maior; wodebynde.
- 575 **Peristereon**, columbarea, veruena.
Per[c]icaria minor, pessicaria, cullirabies; cul-rage.
Percicaria maior; droppewort.
Piganus, pulmonaria, palla marina vel pella; bellewort.
Persa, maiorana, cimbrium, sancsucus, amaracus; muchewort.
- 580 **Pepones**, melones.
Pes nisi, pulmonaria, politicum; sperhawkfot.
Pes vituli, jarus, barba Aaron; ȝekesters.
Pes corui, apium emeroydarum; crowefot.
Pes pulli, andrago.
- 585 **Pes columbe** haþ leuis departid in vij and euery party haþ to
 deparynges or v.
Pes [anticipitris]; columbine þe same.
Peucedanum, feniculus porcinus; hundesfenel.
Penidie; penides.
- 590 **Picula**, pix liquida; pitch.
Pistacee beþ fruities lich pines.
Piga[no]n; wilde rue.
Pigula, lingua a[u]lis; stichewort; pigle.
Piper album, ful[ful]abiat.
- 595 **Piper longum**, melanopiper.
Piper nigrum, ful[f]ules-beth macropiper.
Pilocella, chaunet; mousere.
Pigmentaria, melissa, citrago; mellilote.
[Psidia], cortex mali granati.
- 600 **Psillium** is þe sed of an herbe.
Piretrum; peletre of spayne.
Polium marinum, pollegium.

568 **v-leuede**] v lenede MS. 569 **penttadactulus**] penttadactalus MS.

570 **macedonicum**] mascedonicum MS. 573 **periclimenon**] parichemenon

MS. 576 **percicaria**¹] perticaria MS. 587 **anticipitris**] ancipatris MS.

592 **piganon**] pigamen MS. 593 **auis**] anis MS. 594 **fulfulabiat**] fulsinabiat

MS. 596 **fulfules-beth**] fulsules beth MS. 599 **psidia**] picidia MS.

- Polium montanum**, poloes; puliole mountayne.
Propoleos; whit wax.
- 605 **Policaria** is an *herbe* and þe sed þer-of is clepid *pusillum*.
Pollicaria minor; skabbewort.
Pollipodium; fe[u]gerole; ouer-fern growyng in an ok.
[**Podagra lini**], cuscuta; doder.
Portulaca, [albagla, adragmis], pes pulli, porcellana; porcellane.
- 610 **Pomum quercinum**, galla, scicidon, alapsa; ok appell.
Pomum citrinum; pome citre.
Pomfilion, flosmus, tapsus barbastus; moleyn.
Pullegium, gliconium, golena; puliole.
Pullegium Martis, diptanus, dittaundre.
- 615 **Plumbum**; leed.
Pruna; a pl[u]me.
Prunella; a sloo. |
- p. 261 **Quercus**; an ok.
Quercula maior, camapitheos; moderatell.
- 620 **Quercula minor**, camedreos; germandrie.
Qvinque-neruia, plantago minor, lanceolata; ribbwort.
Quinque-folium, pentafileon, camoleon; synk-foyl; þat is to seynne
fyue-leuyd gras.
- 625 **Radix** whan it is put symplich of raphanus (*id est radix*) it is schal
be vnderstonde.
- Rapistrum**, dragancia; cherl-ok.
[**Rasca lini**], podagra lini, cuscuta; dodere.
Regina, aquileia, angelica; remet; moderwort, medewort.
Resta bouis; cammok.
- 630 **Resina**, rosyn.
Rami cedri, lignum impenij; ecoree, recopée; morsus demonis;
forbitene.
- Risi**; rys.
Rubarbe is þe rote of þe lasse geneste.
- 635 **Reuponticus**, rosa rubia; red rose.
Rosa alba; whit rose.
[**Rodoxiron**], olim rosarum; oyle of rosyn.
Rodost[ag]ma, aqua rosarum; water of rosyn.

607 **feugerole**] fengerole *MS.* 608 **podagra lini**] podagrallini *MS.* 609 **albagla**
adragmis] abaga adriagnis *MS.* 616 **plume**] plime *MS.* 627 **rasca lini**]
rascalini *MS.* 637 **rodoxiron**] rodoxioron *MS.* 638 **rodostagma**] rodostoma
MS.

- Ros marinus**, anthos, dendeolibanus.
 640 **Ros ciriacus**; þe flour of malwes.
Rostrum porcinum; sowȝþystel.
Robelia; þe com[o]un pes.
Rubia maior; warencia; madu[r].
Rubia minor; heirif, clifpen.
 645 **Rubus**, rumex, tribulus; bremell, whete whil þat it beriþ manye
 brembelis, but whan rubus is symplech put, as þe brembil þat
 beriþ blake beryes it schal be vnderstonde.
Sagapinum, serapinum, sa[n]sucus, amaricon, amaricus; maiorane;
 muchelwort.
 650 **Sambucus**, actis; elderene.
Sanguis draconis, miltrodatum, dema[c]hian; sank draconum.
Salix; a welwȝ-tre.
Saliunca, spica celtica.
Sal[u]ja, salgia; sawge.
 655 **Sal**; salt. Þer beþ manye maner of saltes: sal comun, sal armoniak,
 p. 262 sal gumme, sal cap[a]docium, sal [tragecicum], sal pensum, | sal
 sacerdotale, sal macelli, sal catarticum, sal [nitrum], sal alcali, sal
 tartari.
Saundres, þer beþ þre spices of hem: white, rede and citrine.
 660 **Sanguinaria**, bursa pastoris.
Sanicla; sanicle; wodemerc.
Sandix; wood.
Sana-munda, pes leporis, garophilata; auence.
Sandonicum; [se wormood].
 665 **Sandar[a]ca**; vernych.
Sapa, id est nouum vinum; in tyme of vines must.
Saponaria; sauener; crowe-sope, notebrun.
Satirion, p[riap]iscus, leporina.
Satureia, tymbra; sauereyne.
 670 **Sar[c]oc[o]lla**; þe gumme of a tre.
Sauina, bracteos, cariola siluestris; wilde letuse.
Staffi-sagria; an herbe pur netes and les.
Scamonea, diagredium.

642 **comoun**] comeun MS. 643 **madur**] maduȝ MS. 648 **sansucus**] sausucus
 MS. 651 **demachian**] demathian MS. 654 **saluia**] salnia MS.
 656 **capadocium**] capodocium MS. | **tragecicum**] tracencium MS.
 657 **nitrum**] mirum MS. 664 **se wormood**] sewormood MS. 665 **sandaraca**]
 sandarica MS. 668 **priapiscus**] paniscus MS. 670 **sarcocolla**] sartocalla MS.

- Saxifragia**, a[sin]alici.
 675 **Scatuncellus**, vmb[i]licus *Veneris*, cimbalarium; peny-wort.
Sp[a]ragus, alion.
Spatula fetida; gladene þe whic berip no flour.
Se[t]acul, yrynge; seholme.
Sepha, ysopus.
 680 **S[c]elerata**, aquilaria, apium risus, b[a]tracion.
Selinum, semen apij; [merch sed].
Semen vrtice, acantum, basara, achiron, anagallidos; nettel sed.
Semper-viua, herba Aaron; self-grene.
Semen bulli; semen grosse cepe; oynonet.
 685 **Semen rose**, antera; þe seed of roses.
Semen lini; lynsed.
Semen saxifrage, acinalici, licospermatis.
Semen rapistri, armon[i]aca; tuncrese-seed.
Senacio, nasturticum aquaticum; *id est* water-cresses.
 690 **Sen[e]cio**, sonicum; groundiswilie.
Sene; *id est* a laxatif.
Saluatelle beþ ij veynes in þe hondes be-twen þe litil fynger and
 þe fynger next hym and two on þe to fet in þe same place.
Stercus caprinum; þe dunge of a goot.
 695 **Stercus vaccinum**; cowes dunge.
 p. 263 **Stercus ouium**; | schepis dunge.
Stercus columbinum; [colueres dunge].
Stercus anatis; mathelardes dunge.
Stercus irundinis; swalwes dunge.
 700 **Stercus muris**; mouses dunge.
Serpillum; peletere.
Serpentaria, dragancia, colubrina, cocodrilla; nedderwort.
Scicida, brionia; [wilde nep].
Simphonica, caniculata, iusquiami; hennebane.
 705 **Simphitum**, anagallis, anagallicum, consolida maior; co[m]firie.
Sinapis; [mustard sed].
Sinonum, petrocilium agreste; wilde perselised.

674 **asinalici**] almalici MS. 675 **vmbilicus**] vmbelicus MS. 676 **sparagus**] speragus MS. 678 **setacul**] secacul MS. 680 **scelerata**] selerata MS. **batracion**] botracion MS. 681 **merch sed**] merchsed MS. 690 **senecio**] senicio MS. 697 **colueres dunge**] colueresdunge MS. 703 **wilde nep**] wildenep MS. 705 **comfirie**] counfirie MS. 706 **mustard sed**] mustardsed MS.

- Sigillum Sancte Marie;** Seynte Marie flour.
Squilla, cepa marina.
 710 **Squilles;** se oynonyss.
Squina[n]tum, esca camellorum; chamayles mete.
Sisimbrium, balsamita; bawme.
Strignum, solatrum; morell.
Spica celtica; spykenard.
 715 **Sicomorus,** ficus fatua; it is good for hem þat beþ loue-sek.
Spinachia; spinach.
Stincti, stigni; þei beþ fysches estenche, water nettes.
Sister, anetum dulce.
S[mirn]is; betoyne.
 720 **Sili[n]um,** semen apij.
Siseleos, siler montanum; surmountayne.
Sicla, beta, bleta, betis.
Siriaca, molachia, malva; malwes.
Stipteria, alummen, zucarinum, igia, storax liquida.
 725 **Sinabrium,** minium, vzifur; vermeloone.
Spodium, os elephantis; þe bon of an olephaunt y-brent or yuori
brent.
Sponsa solis, solsequium, [c]icorea, incuba, verucaria, el[iotrop]ia;
golde flour.
 730 **Scordion,** allium agreste; hare-belle.
S[c]olopendria, lingua ceruina; hertistonge.
Sc[o]pa regia, herba perforata, herba Johannis, centum foramina,
ypericon, fuga demonum; Seynt Iohannis wort.
S[c]rofularia, s[te]robilea, pinea.
 735 **Sulphur viuum,** cibapirum, tibapirum.
Sumach, anagodan.
Sturcium, caulilus agrestis, caulinus ag[r]estis, brasica; smal caul.
Succus prunellarum, acacia; þe ious of wilde slon. |
 p. 264 **Spuma marina;** pomys.
 740 **Succus frumenti,** amidum, amilum; amydyoyne.
Supercillum Veneris, venter apis, mille-folium; ȝarwe.
Tamariscus; [t]amaryndes; oxifen[i]cia, dactulus acetosus.

711 **quinatum]** squinatum MS. 719 **smirnis]** sirinis MS. 720 **silinum]**
silium MS. 728 **cicorea]** ticorea MS. | **eliotropia]** elentrepia MS.
731 **scolopendria]** stolopendria MS. 732 **scopa]** scepa MS. 734 **scrofularia]**
strofularia MS. | **sterobilea]** scrobilea MS. 737 **agrestis**^{2]} agestis MS.
742 **tamaryndes]** amaryndes MS. | **oxifenicia]** oxifencia MS.

- Tapsus barbastus**, flosmus, herba lunaris; moleyn.
Tartarum, petra vini; argoil.
745 **Tarascon**; scariole.
Tanacetum, terbentina; terbentyne.
Terra hispanica, chimole[a].
Terra sigillata, terra sarazenica, argentaria.
Terra figuli, argilla, creta; crokeres cley.
750 **Tumbra**, timbria, satureia; saturegia; sauereyne.
Tibapirum, cibapirum, sulphur viuum.
Triticum; whete.
Trisogonus, camedreos, germandria, quercula minor.
Thim[o]n; tyme.
755 **Tyt[il]mallis**; þer beþ manye spices of hem: walwort, esula, anabulla,
 catapucia, laureola and opere.
Tisana; it is þe decoccioun of water and barlych.
Tribulus, rumex, rubus; rounce; red brere.
T[r]oxima; endyue or scariole.
760 **Turiones**, summitates vitis; þe croppes of vines.
Thus, olibanum; frankensens.
Ualeriana, fu, amantilla, potentilla, maturella, zodoarium agreste;
 valerian.
Uva acerba; a sauour grape.
765 **Uua passa**; reysons.
Uaccinium, morum nigrum; mirtilles, hurtene.
Uenter apis, supersilium Veneris, mille-folium; ȝarwe.
Uva lupina, strignum, morell.
Uerucaria, cicorea, incuba; ruddes.
770 **Uermes terrestres**, lumbrici terrestres; anglet-wacches, wermes of
 þe eerþe.
Uermicularis, crassula minor; stoncrophe.
Uervena, p[er]listeron, herba Veneris.
Uernyx, bernix, [classa].
775 **Vespertilio**; reremous.
Uigellum, pobel.
p. 265 **Uirga pastoris**, | ozoragi; wilde tesil.
Usifur, minium, vermiculum, cinabrium; vermeloun.
Uiola, violaria; violet.

747 **chimolea**] chimoled MS. 754 **thimon**] thimen MS. 755 **tytimallis**]
 tytumallis MS. 759 **troxima**] toxima MS. 773 **peristeron**] pisteron MS.
 774 **classa**] classia MS.

- 780 **Uiola alba**, jw, rathehele, vnctuosa.
Uitis agrestis, labrusca, viticella.
Uitriola, herba muralis, paritoria, per[di]ciados; paritorie.
Uitriolum, dragancium, calcantum, arrement.
Uiscus quercinus; [wi de] keyne, mystel of þe ok.
785 **Vmb[i]licus Veneris**, cotilidon, cymbalaria; peny-wort.
Vul[g]ago, baccaria, garofilus agrestis.
Volubilis maior, edera arborea, corigiola, caprifolium.
Volubilis minor, edera terrestris; heyhoue.
Vrtica mortua, archangelica, barba angeli; blynde nettel.
790 **Vrtica greca**; ruge vrtie; red nettel.
Vngula caballina is þe rote of water lilye or ellis þe rote of memphe.
Xil[o]cassia, cassia lignia, cassia rubia & sicca, [x]ilobalsamum,
 ignum balsami; þe fruyt þer-of is clepid carpobalsamum.
[Psylli]um, [z]archaton.
795 **Ypericon**, perforata, centum foramina, herba Johannis; Seynt Johannis
 wort.
Ytea, salix; welw.
Yriana, labrusca, vitis agrestis.
Ypia maior, morsus galline; chikenemete.
800 **Yris**, purpureum flore gerith.
Yreos, album gladiolus, croceum set spatula fetida [n]ullum.
Yris haþ a purpil flour.
Yreos haþ a whit flour.
Yposilea, fabaria; lemyk; fauerole.
805 **Ypoquistidos** is a round bal growyng a-bowte a brembill.
Ydromel is a water wiþ hony y-sode.
Ygia, ozimium; nettel seed.
Yposarcan ys a dropesye of malencoly.
Ypomaratum; wilde fenel.
810 **Za[r]chaton**, [psylli]um.
Zedoarium; zedewale.
[Z]ima, fermentum; leueyne.
p. 266 **Zinnia** is a | postem of fleume.

793 fruyt: Nota b[ene] added in the outer margin by a later hand.

782 **perdiados**] perciados MS. 784 **wi de**] wilde MS. 785 **vmbilicus**]
 vmbelicus MS. 786 **vulgago**] vuldag MS. 792 **xilocassia**] xilacassia MS.
xilobalsamum] ilobalsamum MS. 794 **psyllium**] ypsillum MS. | **zarchaton**]
 archaton MS. 801 **nullum**] nullum MS. 810 **zarchaton**] zachaton MS.
psyllium] ypsillum MS. 812 **zima**] ima MS.

Zinzelcon, pentaflon; v-leued gras.

815 **Zipule**, *crispule*.

Zinziber; gynger.

Zucc[ar]a; zugre.

Zirbus; grece, fattnesse.

Zirungen; borage.

820 **Zizannia**, nigella, gith, lollium; cockell.

817 **zuccara**] *zuccura MS.*

